




## SENSIBLE LOTO KITS (ELECTRO - MECHANICAL)



























## A LOTO KIT FOR EVERY JOB

## LOTO ELECTRO-MECHANICAL KIT - MAX MODEL NO. LOKT-ELMEMX-503







SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
1.	COSMO Carry Bag Trolley type, 26". Color: Blue. Size: L 66 x W 33 x H 33 cms. Model No. LPTYX050		1 Pc.	37.	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 3.8mm O.D. x 2.5mm I.D. Cable Length: 1 Mtr. Model No: CL-2L-R100D38		2 Pcs.
2.	LOTO Waist Pouch. Color: Red. Brand: LOK-FORCE™. Size: 61 x 16. x 17 cms. Model No: BG-RD61WP		1 Pc.	38.	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 2.0mm O.D. x 1.5mm I.D. Cable Length: 0.3 Mtr. Model No: CL-2L-R30D20		2 Pcs.
3.	LOTO Mini Tote Bag. Color: Yellow. Brand: LOK-FORCE™. Size: 36 x 13 x 15 cms. Model No: BG-YW36MN		1 Pc.	39.	Cable Sling - PVC Coated GI Cable. Both ends crimped with Aluminium soft eyes. Color: Red. Sizes: 2.0mm O.D. x 1.5mm I.D. Cable Length: 0.5 Mtr. Model No: CL-2L-R50D20		2 Pcs.
4.	Hasp - Steel, PE Injection Molded Handles, Color: Red. Size: 25mm. Small, 6 locks capacity. Brand: LOTO-LOK®. Model No: HSP-PMH-25R		1 Pc.	40.	Valve Lockout - Rotating. Locks Valve Wheel Sizes: 25 mm. to 330 mm. (Set of 5 Pcs. Consisting of F480 to F484). Model No: VL-MST-F485		1 Set
5.	Hasp - Steel, PE Injection Molded Handles, Color: Red. Size: 38mm. Large, 6 locks capacity. Brand: LOTO-LOK®. Model No: HSP-PMH-38R		1 Pc.	41.	Valve Lockout - BALL (Lever type). Polypropylene Construction. Locks Valve Sizes: 13 mm - 64 mm. Color: Red. Model No: VL-BV-1364TL		2 Pcs.
6.	HASP – Galvanized Steel Scissor Hasp with Double Locking Tabs & Injection Molded Nylon Handle. Color: Red. Size: 25mm. Small, 6 locks capacity. Brand: LOK-FORCE™. Model No: HSP-TAB-25		1 Pc.	42.	Valve Lockout - BALL (Lever type). Polypropylene Construction. Locks Valve Sizes: 50 mm - 200 mm. Color: Red. Model No: VL-BV-50200TL		1 Pc.
7.	HASP – Galvanized Steel Scissor Hasp with Double Locking Tabs & Injection Molded Nylon Handle. Color: Red. Size: 38mm. Large, 6 locks capacity. Brand: LOK-FORCE™. Model No: HSP-TAB-38		1 Pc.	43.	Valve Lockout - BALL (Steel Powder coated.) Color: Red. Locks Valve Sizes: 6 mm. – 25 mm. Model No: VL-BV-6255TL		2 Pcs.

SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
8.	HASP, Aluminium Round Rod Scissor hasp. With Non-conductive Black coating and Injection Molded Nylon Handle. Size: 25 mm. (SMALL). Color: Red. Brand: LOTO-LOK®. Model No: HSP-AL-25		1 Pc.	44.	Valve Lockout - BALL (Steel Powder coated.) Color: Red. Locks Valve Sizes: 32 mm – 76 mm. Model No: VL-BV-3276STL		1 Pc.
9.	HASP, Aluminium Round Rod Scissor hasp. With Non-conductive Black coating and Injection Molded Nylon Handle. Size: 38 mm. (LARGE). Color: Red. Brand: LOTO-LOK®. Model No: HSP-AL-38		1 Pc.	45.	Valve Lockout - Butterfly construction. Locks Spring Type Lever Handle Butterfly Valves. Color: Red. Brand: LOTO-LOK®. Model No: VL-BF-LEV		1 Pc.
10.	Hasp, Nylon, Di-Electric, Yellow / Red color with 4 locks capacity. Size: 3.0 mm Shackle diameter. Brand: LOTO-LOK®. Model No: HSP-DEY3		1 Pc.	46.	Valve Lockout - UNIVERSAL Base + Cable + 1 Arm. Fits upto 40mm width, 19mm thk. Handles. Color: Red. Brand: LOQ-IT. Model No: VL-UNAC41-4		1 Set
11.	Hasp, Nylon, Di-Electric, Yellow / Red color with 4 locks capacity. Size: 6.0 mm Shackle diameter. Brand: LOTO-LOK®. Model No: HSP-DEY6		1 Pc.	47.	Chain - Stainless Steel 316 Grade. Chain Dia: 4.0 mm. Link Dia: L 34.0 mm x W 15.0 mm. Chain Length: 1.0 Mtr. Model No: SSC-4M		2 Mtrs.
12.	HASP – Nylon Body with 3.5mm Steel Shackle for small apertures. 4 Locks capacity. Color Red. Brand: LOTO-LOK®. Model No: HSP-TS3-4L		1 Pc.	48.	Car Seals - Aluminium / Zinc Body, Galvanized Aircraft wire cable 1 mtr. Long. Color: Red. Size: 2.5 mm wire dia x 1.0 Mtr. Length. Brand: LOTO-LOK®. Model No: CS-RED-1M		5 Pcs.
13.	Hasp – Nylon, Non Conductive, Color: Red, 6 locks capacity. Size: 5.0 mm Shackle diameter. Brand: LOTO-LOK®. Model No: HSP-RNH-65		1 Pc.	49.	Car Seals - Aluminium / Zinc Body, Galvanized Aircraft wire cable 1 mtr. Long. Color: Green. Size: 2.5 mm wire dia x 1.0 Mtr. Length. Brand: LOTO-LOK®. Model No: CS-GRN-1M		5 Pcs.
14.	Hasp - Solid SS 316 Grade, Rust, Weather & Spark proof Hasp. Accomodates 6 Padlocks. Brand: LOTO-LOK®. Model No: HSP-SS316-25		1 Pc.	50.	3-PTP (Three Point Traceability Padlock). Color: RED. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. . Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPRKDR40		2 Pcs.
15.	Hasp – Aluminum Alloy. Accommodates 6 Padlocks. Color: Red. No. of Padlock Hole: 6 Holes (8.5 mm hole diameter). Size: W 77 mm x L 190 mm. Model No: HSP-ALR-6		1 Pc.	51.	3-PTP (Three Point Traceability Padlock). Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Color: Red. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPRKDN40		2 Pcs.
16.	Circuit Breaker Locking Device Pin Combo (SET OF 3) for Miniature Circuit Breaker. 1 off PIN – IN, 1 off PIN – OUT & 1 off PIN – OUT – WIDE. Brand: LOTO-LOK®. Model No: CB-COMBO-CTBL		2 Sets	52.	3-PTP (Three Point Traceability Padlock). Color: RED. SS304 Grade Long Shackle 80mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPRKDL80		1 Pc.
17.	Circuit Breaker Locking Device for Single Pole Miniature Circuit Breaker. Color: Red. Opened and closed with screwdriver. Brand: LOTO-LOK®. Model No: CB-UB-CTBL		5 Pcs.	53.	3-PTP (Three Point Traceability Padlock). Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Color: Red. Key Different (2 Unique Keys per Lock). Long Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPRKDN80		1 Pc.
18.	Circuit Breaker Locking Device for Single & Multi Pole MCB's & MCCB's. Opened and Closed with Screwdriver. Color: Yellow. Brand: LOTO-LOK®. Model No: CB-MG-CTBL		5 Pcs.	54.	3-PTP (Three Point Traceability Padlock). Color: Yellow. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPYKDR40		2 Pcs.
19.	Circuit Breaker Locking Device, Universal type for Single & Multipole MCB's & MCCB's upto 200A, Hand Tightening, No-Tool. Color: Red. Brand: LOQ-IT. Model No: CB-UNI-HT		3 Pcs.	55.	3-PTP (Three Point Traceability Padlock). Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Color: Yellow. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPYKDN40		2 Pcs.
20.	Circuit Breaker Locking Device, Universal type with Dove Tail for locking a wide range of MCCB's upto 200Amps, Hand Tightening, No-Tool. Color: Red. Brand: LOQ-IT. Model No: CB-UNI-DTHT		3 Pcs.	56.	3-PTP (Three Point Traceability Padlock). Color: Blue. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPBKDR40		2 Pcs.



SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
21.	Circuit Breaker Locking Device - Universal Type for Single & Multipole MCB's & MCCB's upto 200A with cover and 2 Way Padlocking slots. Color: RED. Model No: CB-COV94		4 Pcs.	57.	3-PTP (Three Point Traceability Padlock). Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Color: Blue. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPBKDN40		2 Pcs.
22.	Circuit Breaker Locking Device, Lockouts 277 Volts MCCB's with toggle Width 16mm x 11.5mm Thickness. Thumbwheel Operation. Size: Small, Color: Red. Brand: LOQ-IT. Model No: CB-KT-S		3 Pcs.	58.	3-PTP (Three Point Traceability Padlock). Color: Green. SS304 Grade Regular Shackle 40mm. Body: Nylon PA66 Construction. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 3PTPGKDR40		2 Pcs.
23.	Circuit Breaker Locking Device, Lockouts 480/600 Volts MCCB's with toggle Width 41mm x 13.5mm Thickness. Thumbwheel Operation. Size: Medium, Color: Red. Brand: LOQ-IT. Model No: CB-KT-M		2 Pcs.	59.	3-PTP (Three Point Traceability Padlock). Body: Nylon PA66 material. Shackle: Nylon PA66 extruded over SS304 DUAL PURPOSE (Electrical & Mechanical use), Non-Conductive (DUO 2in1), Rust, Shock & Weatherproof. Color: Green. Key Different (2 Unique Keys per Lock). Regular Shackle 40mm. Brand: LOTO-LOK®. Model No: 3PTPGKDN40		2 Pcs.
24.	Circuit Breaker Locking Device, locks outs 480/600 Volts MCCB's with Oversized toggle widths 63mm x 22mm. Thickness. Thumbwheel operation. Size: Large, Color: Red. Brand: LOQ-IT. Model No: CB-KT-L		1 Pc.	60.	Laminated Steel Safety Lockout Padlock, Steel Body, REGULAR Shackle, with RED color Bumper. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 2PTPSRKDS24		4 Pcs.
25.	Circuit Breaker Locking Device for MCCB with small toggles, Grip Tight. Color: Red. Size: SMALL. Material: Die-Casting Aluminium Alloy & Nylon ABS and Metal Spray. Size: L 83mm x W 23mm. Model No: CB-MST-4093		1 Pc.	61.	Laminated Steel Safety Lockout Padlock, Steel Body, LONG Shackle, with RED color Bumper. Key Different (2 Unique Keys per Lock). Brand: LOTO-LOK®. Model No: 2PTPSRKDL47		4 Pcs.
26.	Circuit Breaker Locking Device for MCCB's with Tall and Wide Toggles. Color: Red. Size: LARGE. Material: Die-Casting Aluminium Alloy & Nylon ABS and Metal Spray. Size: 85 x 30 x 27 mm. Model No: CB-MST-4091		1 Pc.	62.	" CAUTION, Equipment Locked Out, Do Not Operate " MAGNETIC SIGN. Size: 200mm x 100mm. Make: LOTO. Model No: LSP-MCS-01		1 Pc.
27.	Circuit Breaker Locking Device locks outs 600A MCCB's with Oversized toggles. (Break Blocker Components) 480v~600v. Set consists of 2 self adhesive bases, 1 Red & 1 Green blocking bars and 1 self adhesive bar holder. Packaging: 5 Pcs. per set. Model No: CB-BBK-5		1 Set	63.	" DANGER, ENTRY OF UNAUTHORISED PERSONS PROHIBITED " MAGNETIC SIGN. Make: LOTO. Size: 200mm x 100mm. Model No: LSP-MCS-02		1 Pc.
28.	Panel Lockout - Push Button. Polycarbonate material. Circular Base 55mm Diameter x H 45 mm. Transparent color. Brand: LOTO-LOK®. Model No: PL-CIR-55		1 Pc.	64.	Tag, "CAR SEAL CLOSED". Color: Red. 275 Micron Polypropylene Sheet with both sides Digital Printing. With Metal Eyelet. Size: L 160 mm x W 80 mm. Model No: TAGD-CSR		5 Pcs.
29.	Panel Lockout - Push Button / Switch, Polycarbonate material. Color: Transparent. Inner Size: H 58 x W 75 mm. Brand: LOTO-LOK®. Model No: PL-SQB-75		1 Pc.	65.	Tag, "CAR SEAL OPEN". Color: Green. 275 Micron Polypropylene Sheet with both sides Digital Printing. With Metal Eyelet. Size: L 160 mm x W 80 mm. Model No: TAGD-CSG		5 Pcs.
30.	Panel Lockout-Push Button Emergency. Polycarbonate material. Color: Transparent. Inner Size:70mm x H85mm. Brand: LOTO-LOK®. Model No: PL-EPB-90		2 Pcs.	66.	DANGER TAG, " DO NOT OPERATE ". Material: PVC. Size: L 143 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGD – 01		20 Pcs.
31.	Panel Lockout - Push Button. Cover size: 62mm Dia x 54mm H. Fits 27 ~ 32mm. Hole diameter push buttons. Model No: PL-AD-2732		2 Pcs.	67.	DANGER TAG, " DO NOT OPERATE ". Material: PVC. Size: L 160 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGD – 222		20 Pcs.
32.	Plug Lockout - Electrical. Locks Large size electrical plugs. Color: Red. Material: Polypropylene. Model No: PLG-LRPL		1 Pc.	68.	TAG, Yellow color. " OUT OF SERVICE, NOT TO BE OPERATED ". Material: PVC. Size: L 160 mm x W 80 mm x 0.5 mm thk. Model No: S1 – TAGC – 301		5 Pcs.
33.	Document Holder - Flexible Sheeting Permit Holder with Zip Lock & Metal Eyelet. Size: L 325 mm x 290 mm. Brand: LOTO-LOK®. Model No: DH-PVC-PTW		1 Pc.	69.	LOTO & Electrical Safety Hand Book. Model No. BOOK-SFTY		1 Pc.
34.	Cable Lockout - Economy Squeezer Multipurpose, Galvanized Steel Cable PVC coated with Brass End Cap. Cable Length: 1.5 Mtr. Cable Diameter: 4.0mm. Brand: LOTO-LOK®. Model No: CL-SQCL-1.5MR		2 Pcs.	70.	Screwdriver. Model No: TOOL-SCD		2 Pcs.

SL. No.	Description	Image	Qty	SL. No.	Description	Image	Qty
35.	KAB-O-LOK™ CABLE LOCKOUT. Brand: KAB-O-LOK™ (a LOK-FORCE product). 1 Set with Base, KAB-TOOL Operating Tool and 2 Mtrs. Steel Galvanised PVC coated Cable. Color: Red. Model No. CL-KBLK-R2-ST		2 Sets	71.	MARKER PEN. Color: Black. Model No: LSP-MARKER		1 Pc.
36.	Cable Lockout - Adjustable with Stainless Steel PVC coated cable with brass end cap. Color: Red. Cable Sizes: Dia. 5/32" (4mm) x 6' (1.8 Mtrs.). Model No: CL-6F-4MC		2 Pcs.	72.	Cable Ties, 8" Length for Tie Tags. Model No: LSP-CABLETIE		50 Pcs.